



# GERSAN

2017

ELEKTRİK TİC. ve SAN. A.Ş.

BUSBAR SİSTEMLERİ

Busbar Trunking Systems

DÖŞEME ALTI KABLO KANALLARI

Underfloor Cable Trunkings

TOPRAKLAMA SİSTEMLERİ

Earthing Systems

KABLO KANAL VE MERDİVENLERİ

Cable Management Systems

LED SİSTEMLERİ

LED SYSTEMS

ELEKTRİKLİ ARAÇ ŞARJ SİSTEMLERİ

Electrical Vehicle Charging Systems

AĞ DAĞITIM PANELLERİ

Distribution Panels

G-BUS OTOMASYON

G-BUS Automation

since  
1980

## DÖŞEME ALTI KABLO KANALLARI

*Underfloor Cable Trunkings*


تمديدات ارضيات مرتفعة

We have product reliability insurance.  
ürün sorumluluk sigortası mevcuttur.



ISO 9001-14001-18001





# DÖŞEME ALTI KABLO KANALLARI

## *Underfloor Cable Trunkings*

تمديدات ارضيات مرتفعه



ASTA



IPH

KEMA

V<sup>NL</sup>  
EIKT





CE



ISO 9001-14001-18001







DÖŞEME ALTI BUATI *Junction box*

## صندوق تقاطع




GDK-31-Y

## DÖŞEME ALTI BUATI (SİSTEM BUATI)

*Junction box*  
صندوق تقاطع

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDK-31-Y	101500310PLS1	5,580



GDK-31-Y



GDK-32-Y

## BUAT İÇİ PRİZ KASASI

*Socket case*  
علبة قابس

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDK-32-Y	101500320PLS1	2,110



GDK-32-Y




GDK-33-Y

## BOŞ BUAT KUTUSU

*Junction box without socket*  
علبة تقاطع بدون المقبس

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDK-33-Y	101500330PLS0	4,680



İSTEĞE BAĞLI OLARAK BUATLAR IP43 STANDARTLARINA GÖRE ÜRETİLİR.  
In accordance to requirement junction boxes are be manufactured with IP43 protection degree  
بدرج حماية تعتمد على المتطلبات IP 43

DÖŞEME ALTI BUATI *Junction box* صندوق تقاطع


GDK-34-Y

## GRANİT TİPİ BUAT


*Junction box*

علبة توصيل من الجرانيت

Sipariş kodu Order code	Stok kodu Stock code	Ağırlık (Kg/ad.) Weight (Kg/unit)
رمز الطلب	رمز المخزن	الوزن (كجم/وحدة)
GDK-34-Y	101500340PLS1	5,580



GDK-34-Y




GDK-35-Y

## İKİLİ DÖŞEME ALTI BUATI

*Double under floor junction box*

علبة توصيل تحت أرضية زدوجة

Sipariş kodu Order code	Stok kodu Stock code	Ağırlık (Kg/ad.) Weight (Kg/unit)
رمز الطلب	رمز المخزن	الوزن (كجم/وحدة)
GDK-35-Y	101500350PLS1	10,270



GDK-35-Y




GDK-07

## YÜKSELTİLMİŞ DÖŞEME İÇİN BUAT

*Junction box for high-floor*

علبة توصيل للأدوار العليا

Sipariş kodu Order code	Stok kodu Stock code	Ağırlık (Kg/ad.) Weight (Kg/unit)
رمز الطلب	رمز المخزن	الوزن (كجم/وحدة)
GDK-07	101500700BOY0	6,200



GDK-07

DÖŞEME ALTI BUATI (İNGİLİZ SİSTEMİ) *Junction box* صندوق تقاطع


GDK-31 ING

## DÖŞEME ALTI BUATI (İNGİLİZ SİSTEMİ)

*Junction box*

صندوق تقاطع

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDK-31 ING	1015ING310PLS1	5,580



GDK-31 ING



GDK-32 ING

## BUAT İÇİ PRİZ KASASI (İNGİLİZ SİSTEMİ)

*Socket case*

علبة قابس

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDK-32 ING	1015ING320PLS1	2,160



GDK-32 ING




GDK-34 ING

## GRANİT TİPİ BUAT (İNGİLİZ SİSTEMİ)


*Junction box*

علبة توصيل من الجرانيت

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDK-34 ING	1015ING340PLS1	5,580



GDK-34 ING




GDK-35 ING

## İKİLİ DÖŞEME ALTI BUATI (İNGİLİZ SİSTEMİ)


*Double under floor junction box*

علبة توصيل تحت أرضية زدوجة

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDK-35 ING	1015ING350PLS1	10,270



GDK-35 ING




## DÖŞEME ALTI (BUAT) PRİZLERİ *Sockets for junction boxes*

مقابس لعلب التوصيل




GDKF - 401

UPS PRİZ <i>UPS Socket</i> مقابس لعلب التوصيل		
Sipariş kodu <i>Order code</i> رمز الطلب	Stok kodu <i>Stock code</i> رمز المخزن	Ağırlık (Kg/ad.) <i>Weight (Kg/unit)</i> الوزن (كجم/وحدة)
GDKF-401	101504010PLSO	0,034



GDKF - 609

PRİZ KUTUSU TABANI <i>Access Box Basement</i> لوصول الي العلبة السفلية		
Sipariş kodu <i>Order code</i> رمز الطلب	Stok kodu <i>Stock code</i> رمز المخزن	Ağırlık (Kg/ad.) <i>Weight (Kg/unit)</i> الوزن (كجم/وحدة)
GDKF-609	101506090PLSO	0,315



GDKF - 402

TOPRAKLI PRİZ <i>Socket with earthing</i> مع مقبس التوصيل الأرضي		
Sipariş kodu <i>Order code</i> رمز الطلب	Stok kodu <i>Stock code</i> رمز المخزن	Ağırlık (Kg/ad.) <i>Weight (Kg/unit)</i> الوزن (كجم/وحدة)
GDKF-402	101504020PLSO	0,032




GDKF - 610

PRİZ KUTUSU KENAR PLAKASI <i>Access Box Side Plate</i>		
Sipariş kodu <i>Order code</i> رمز الطلب	Stok kodu <i>Stock code</i> رمز المخزن	Ağırlık (Kg/ad.) <i>Weight (Kg/unit)</i> الوزن (كجم/وحدة)
GDKF-610	101506100PLSO	0,170



GDKF - 603

DATA PRİZİ (RJ-45) <i>Data Socket</i> بيانات المقبس		
Sipariş kodu <i>Order code</i> رمز الطلب	Stok kodu <i>Stock code</i> رمز المخزن	Ağırlık (Kg/ad.) <i>Weight (Kg/unit)</i> الوزن (كجم/وحدة)
GDKF-603	101506030BKLO	0,011




GDKF-508

UPS, 13A, BS PRİZ PLAKETİ <i>UPS, 13A, BS Socket Plate</i>		
Sipariş kodu <i>Order code</i> رمز الطلب	Stok kodu <i>Stock code</i> رمز المخزن	Ağırlık (Kg/ad.) <i>Weight (Kg/unit)</i> الوزن (كجم/وحدة)
GDKF-508	1015ABP11BY01	0,205



GDKF - 604

TELEFON PRİZİ (RJ-11) <i>Telephone Socket</i> مقبس الهاتف		
Sipariş kodu <i>Order code</i> رمز الطلب	Stok kodu <i>Stock code</i> رمز المخزن	Ağırlık (Kg/ad.) <i>Weight (Kg/unit)</i> الوزن (كجم/وحدة)
GDKF-604	101506040BKLO	0,011




GDKF-509

13A, BS PRİZİ, 2G ANG <i>13A, BS Socket, 2G ANG</i> 13 أمبير، BS المقبس، 2G ANG		
Sipariş kodu <i>Order code</i> رمز الطلب	Stok Kodu <i>Stock code</i> رمز المخزن	Ağırlık (Kg/ad.) <i>Weight (Kg/unit)</i> الوزن (كجم/وحدة)
GDKF-509	101505090BKLO	0,215




GDKF - 605

KÖR KAPAK <i>Blank Cover</i> غطاء دون فتحات		
Sipariş kodu <i>Order code</i> رمز الطلب	Stok kodu <i>Stock code</i> رمز المخزن	Ağırlık (Kg/ad.) <i>Weight (Kg/unit)</i> الوزن (كجم/وحدة)
GDKF-605	101506050BKLO	0,005



GDKF-510

13A, BS PRİZİ, NON STANDART 2GANG <i>13A, BS Socket, Non Standard 2GANG</i> 13 أمبير، BS المقبس، غير قياسي، 2GANG		
Sipariş kodu <i>Order code</i> رمز الطلب	Stok Kodu <i>Stock code</i> رمز المخزن	Ağırlık (Kg/ad.) <i>Weight (Kg/unit)</i> الوزن (كجم/وحدة)
GDKF-510	101505100BKLO	0,220



GDKF - 607

İKİLİ PRİZ BAĞLAMA PLAKASI <i>Connection Plate For Two Socket</i> لوحة ربط مقبس ثنائي		
Sipariş kodu <i>Order code</i> رمز الطلب	Stok kodu <i>Stock code</i> رمز المخزن	Ağırlık (Kg/ad.) <i>Weight (Kg/unit)</i> الوزن (كجم/وحدة)
GDKF-607	101506070BLSO	0,063

DÖŞEME ALTI BUATI *Junction box*

## صندوق تقاطع




GDK-01

## DÖŞEME ALTI BUATI (SİSTEM BUATI)

*Junction box*

## صندوق تقاطع

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDK-01	101506070BLS0	4,060



GDK-01



GDK-02

## BUAT İÇİ PRİZ KASASI

*Socket case*

## علبة قابس

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDK-02	101500020PLS0	1,100



GDK-02




GDK-03

## BOŞ BUAT KUTUSU

*Junction box without socket*

## علبة تقاطع بدون المقبس

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDK-03	1015000309141	3,930



### DÖŞEME ALTI BUATI *Junction box*

### صندوق تقاطع




GDK-06

#### MERMER DÖŞEME İÇİN ÖZEL SİSTEM BUAT

*Special junction box for marble floor*

تقاطع خاص للأرضية الرخام

Sipariş kodu Order code	Stok kodu Stock code	Ağırlık (Kg/ad.) Weight (Kg/unit)
رمز الطلب	رمز المخزن	الوزن (كجم/وحدة)
GDK-06	1015000609141	4,020



GDK-06



GDK-011

#### İKİLİ DÖŞEME ALTI BUATI


*Double under floor junction box*

علبة توصيل تحت أرضية زدوجة

Sipariş kodu Order code	Stok kodu Stock code	Ağırlık (Kg/ad.) Weight (Kg/unit)
رمز الطلب	رمز المخزن	الوزن (كجم/وحدة)
GDK-011	1015001109141	8,000



GDK-011




GDKB-18

#### DÖŞEME KANALI DÖRTLÜ BAĞLANTI ELEMANI

*Crossing for underfloor type cable trays*

تقاطع لأرفف الكابلات الأرضية

Sipariş kodu Order code	Stok kodu Stock code	Ağırlık (Kg/ad.) Weight (Kg/unit)
رمز الطلب	رمز المخزن	الوزن (كجم/وحدة)
GDKB-18	1015011809140	0,900
GDKB-24	1015012409140	1,100
GDKB-30	1015013009140	1,250



GDKB-18




GALFK-1

#### ALÜMİNYUM FLANŞ VE KAPAK

*Aluminium flange and cover*

شفة وغطاء من الألومنيوم

Sipariş kodu Order code	Stok kodu Stock code	Ağırlık (Kg/ad.) Weight (Kg/unit)
رمز الطلب	رمز المخزن	الوزن (كجم/وحدة)
GALFK-1	10150GALFALO	0,700



GALFK-1

## DÖŞEME ALTI (BUAT) PRİZLERİ Sockets for junction boxes

مقابس لعلب التوصيل



GDKF-501

**UPS PRİZ**

UPS Socket مقبس UPS

Sipariş kodu Order code	Stok kodu Stock code	Ağırlık (Kg/ad.) Weight (Kg/unit)
رمز الطلب	رمز المخزن	الوزن (كجم/وحدة)
GDKF-501	101505010BKLO	0,034



GDKF-501



GDKF-502

**TOPRAKLI PRİZ**

Socket with earthing مع مقبس التوصيل الأرضي

Sipariş kodu Order code	Stok kodu Stock code	Ağırlık (Kg/ad.) Weight (Kg/unit)
رمز الطلب	رمز المخزن	الوزن (كجم/وحدة)
GDKF-502	101505020BKLO	0,032



GDKF-502



GDKF-503

**JAK PLAKASI**

Jack plaketi جاك اللوحة

Sipariş kodu Order code	Stok kodu Stock code	Ağırlık (Kg/ad.) Weight (Kg/unit)
رمز الطلب	رمز المخزن	الوزن (كجم/وحدة)
GDKF-503	101505030PLSO	0,006



GDKF-503



GDKF-504

**TELEFON PRİZİ (RJ12)**

Telephone Socket مقبس الهاتف

Sipariş kodu Order code	Stok kodu Stock code	Ağırlık (Kg/ad.) Weight (Kg/unit)
رمز الطلب	رمز المخزن	الوزن (كجم/وحدة)
GDKF-504	101505040PLSO	0,006



GDKF-504



GDKF-505

**DATA PRİZİ (RJ45)**

Data Socket بيانات المقبس

Sipariş kodu Order code	Stok kodu Stock code	Ağırlık (Kg/ad.) Weight (Kg/unit)
رمز الطلب	رمز المخزن	الوزن (كجم/وحدة)
GDKF-505	101505050PLSO	0,006



GDKF-505

## DÖŞEME ALTI KABLO KANALLARI (DELİKSİZ) Underfloor type cable trays without holes

رفف كابلات أرضية مع فتحات





GDK-18

## DÖŞEME ALTI KABLO KANALLARI (DELİKSİZ)

Underfloor type cable trays without holes  
رفف كابلات أرضية بدون فتحات

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	e mm	Ağırlık (Kg/mt.) Weight (Kg/mt) الوزن (كجم/م)
GDK-18	1015018018220	1-1	3,550





GDK-24

## DÖŞEME ALTI KABLO KANALLARI (DELİKSİZ)

Underfloor type cable trays without holes  
رفف كابلات أرضية بدون فتحات

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	e mm	Ağırlık (Kg/mt.) Weight (Kg/mt) الوزن (كجم/م)
GDK-24	1015024018220	1-1	5,550





GDK-30

## DÖŞEME ALTI KABLO KANALLARI (DELİKSİZ)

Underfloor type cable trays without holes  
رفف كابلات أرضية بدون فتحات

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	e mm	Ağırlık (Kg/mt.) Weight (Kg/mt) الوزن (كجم/م)
GDK-30	1015030018220	1-1,2	8,820



### DÖŞEME ALTI KABLO KANALLARI PATLATMALI *Under floor type cable trays with explode holes*



رفف كابلات أرضية مع فتحات



#### DÖŞEME ALTI KABLO KANALLARI PATLATMALI

*Under floor type cable trays with explode holes*  
رفف كابلات أرضية مع فتحات



Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	e mm	Ağırlık (Kg/mt.) Weight (Kg/mt) الوزن (كجم/م)
GDK-18-B	1015B18018220	1-1	3,550



#### DÖŞEME ALTI KABLO KANALLARI PATLATMALI

*Under floor type cable trays with explode holes*  
رفف كابلات أرضية مع فتحات



Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	e mm	Ağırlık (Kg/mt.) Weight (Kg/mt) الوزن (كجم/م)
GDK-24-B	1015030018220	1-1	5,550





#### DÖŞEME ALTI KABLO KANALLARI PATLATMALI

*Under floor type cable trays with explode holes*  
رفف كابلات أرضية مع فتحات

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	e mm	Ağırlık (Kg/mt.) Weight (Kg/mt) الوزن (كجم/م)
GDK-30-B	1015B30018220	1-1,2	8,820





GDKE -18

### KANAL EKLEME ELEMANI

#### Joining strap

شريط ربط

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	e mm	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDKE-18	1015E18008220	1,5	0,270
GDKE-24	1015E24008220	1,5	0,330
GDKE-30	1015E30008220	1,5	0,400



GDKE -18



GDKS -18

### KANAL SONLANDIRMA ELEMANI


#### End cap

غطاء طرفي

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	e mm	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDKS-18	1015S18008220	1,5	0,360
GDKS-24	1015S24008220	1,5	0,450
GDKS-30	1015S30008220	1,5	0,540



GDKS -18




GDKD -18

### 90° YUKARI DÖNÜŞ ELEMANI

#### 90° Riser

افعات 90 درجة

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	e mm	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDKD-18	1015G18008220	1,5	1,480
GDKD-24	1015G24008220	1,5	1,990
GDKD-30	1015G30008220	1,5	2,340



GDKD -18



GDKD -18A

### 90° YUKARI DÖNÜŞ ELEMANI

#### 90° Riser

افعات 90 درجة

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	e mm	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDKD-18A	1015G18A28220	1,5	4,540
GDKD-24A	1015G24A28220	1,5	4,740




GDKD -18A

### YÜKSELTİLMİŞ DÖŞEME ALTI KANAL

### In-cavity floor trunking

### قناة تمديد أرضية مرتفعة




YÜKSELTİLMİŞ DÖŞEME ALTI KANAL  
In-cavity floor trunking  
قناة تمديد أرضية مرتفعة

#### YÜKSELTİLMİŞ DÖŞEME ALTI KANAL

In-cavity floor trunking

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	A mm	h mm	e mm	Ağırlık (Kg/mt.) Weight (Kg/mt) الوزن (كجم/م)
GYDK-10	1015001018220	100	50	1	1,700
GYDK-20	1015002028220	200	50	1,5	3,750
GYDK-30	1015003028220	300	50	1,5	5,100
GYDK-40	1015004028220	400	50	1,5	6,400
GYDK-50	1015005028220	500	50	1,5	7,700
GYDK-B10	10150B1018220	100	60	1	1,800
GYDK-B20	10150B2028220	200	60	1,5	4,000
GYDK-B30	10150B3028220	300	60	1,5	5,350
GYDK-B40	10150B4028220	400	60	1,5	6,650
GYDK-B50	10150B5028220	500	60	1,5	8,000




YÜKSELTİLMİŞ DÖŞEME ALTI KANAL  
In-cavity floor trunking  
قناة تمديد أرضية مرتفعة

#### YÜKSELTİLMİŞ DÖŞEME ALTI KANAL

In-cavity floor trunking

#### قناة تمديد أرضية مرتفعة

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	A mm	h mm	e mm	Ağırlık (Kg/mt.) Weight (Kg/mt) الوزن (كجم/م)
GYDK-C10	10150C1018220	100	100	1	2,550
GYDK-C20	10150C2028220	200	100	1,5	5,100
GYDK-C30	10150C3028220	300	100	1,5	6,400
GYDK-C40	10150C4028220	400	100	1,5	7,750
GYDK-C50	10150C5028220	500	100	1,5	9,000





YÜKSELTİLMİŞ DÖŞEME ALTI KAPAK  
In-cavity floor trunking lid  
قناة تمديد أرضية مرتفعة

#### YÜKSELTİLMİŞ DÖŞEME ALTI KANAL

In-cavity floor trunking


#### قناة تمديد أرضية مرتفعة

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	A mm	h mm	e mm	Ağırlık (Kg/mt.) Weight (Kg/mt) الوزن (كجم/م)
GYDK-10K	1015C1K18220	100	9	1	1,000
GYDK-20K	1015C2K18220	200	9	1	1,700
GYDK-30K	1015C3K18220	300	9	1	2,650
GYDK-40K	1015C4K28220	400	9	1,5	5,200
GYDK-50K	1015C5K28220	500	9	1,5	6,500



İsteğe bağlı olarak yükseltilmiş döşeme altı kablo kanalları tek ve çift seperatörlü olarak imal edilebilir.  
Underfloor cable trays for high floor can be supplied as 2 or 3 compartments in accordance to requirement.

قنوات التمديد الأرضية يمكن تصنيعها بحجرتين أو ثلاثة حسب المتطلبات







## ALÜMİNYUM PARAPET KANALLAR Aluminium trunkings تمديدات ألومنيوم



GOR-01

## TEK GÖZLÜ ALÜMİNYUM KANAL

Aluminium trunking with single compartment

تمديدات ألومنيوم مع مقصورة واحدة

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ebat dimension mm	Ağırlık (Kg/mt.) Weight (Kg/mt) الوزن (كجم/م)
GOR - 01	101700212AL1	60 x 55	0,970



GOR-01



GOR-02

## İKİ GÖZLÜ SEPARATÖRLÜ ALÜMİNYUM KANAL

Aluminium trunking with double compartment

تمديدات ألومنيوم مع مقصورة مزدوجة

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ebat dimension mm	Ağırlık (Kg/mt.) Weight (Kg/mt) الوزن (كجم/م)
GOR - 02	101700202AL1	120 x 55	1,720



GOR-02



GOR-03

## İKİ YÖNLÜ SIRT SIRTA ALÜMİNYUM KANAL

Two faces, back to back aluminium trunking

تمديدات ألومنيوم ، ذات وجهين ، خلفية

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ebat dimension mm	Ağırlık (Kg/mt.) Weight (Kg/mt) الوزن (كجم/م)
GOR - 03	101700192AL1	120 x 60	1,670



GOR-03




GOR-09

## ALÜMİNYUM KANAL KAPAK


Aluminium trunking cover

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ağırlık (Kg/mt.) Weight (Kg/mt) الوزن (كجم/م)
GOR - 09	101700012AL1	0,250



GOR-09

Maksimum 6000 mm'ye kadar belirteceğiniz ölçülerde imalat yapılır.  
The aluminium trunking is manufactured up to 6000 mm in accordance to your requirement  
يمكن تصنيعها تمديدات ألومنيوم حتى 6 طول عند الطلب



## ALÜMİNYUM PARAPET KANALLAR Aluminium trunkings تمديدات ألومنيوم



GOR-07

## ALÜMİNYUM DİKEY DÖNÜŞ

## Aluminium vertical bend

تمديدات ألومنيوم

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ebat dimension mm	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GOR - 07	101700052AL1	60 x 55	0,430



GOR-07



GOR-08

## ALÜMİNYUM YATAY DÖNÜŞ

## Aluminium horizontal bend

انحناء ألومنيوم أفقي

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ebat dimension mm	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GOR - 08	101700042AL1	120 x 55	0,770



GOR-08



GOR-11

## SONLANDIRMA KAPAĞI (POLİKARBONAT)

## Polycarbonate end cap

غطاء طرفي بوليكاىر بونيت

Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ebat dimension mm	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GOR - 11	101700032AL1	60 x 55	0,009



GOR-11



## ALÜMİNYUM PARAPET KANALLAR

## Aluminium trunkings


## تمديدات ألومنيوم



Maksimum 6000 mm'ye kadar belirteceğiniz ölçülerde imalat yapılır.  
Malzemenin üzerinde görünen aksesuarlar ürüne dahil değildir.

*The aluminium trunking is manufactured up to 6000 mm in accordance to your requirement.  
The illustrated accessories on the product are not supplied with these codes.*

يمكن تصنيعها تمديدات ألومنيوم حتى 6م طول عند الطلب  
الاكسسوارت في التمديدات المعروضة أعلاه غير متضمنة في المنتجات



## ALÜMİNYUM PARAPET KANALLAR

## Aluminium trunkings

## تمديدات ألومنيوم



GDKF-401

<b>UPS PRİZ</b> <i>UPS Socket</i> مقبس UPS		
Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDKF-401	101504010PLSO	0.034



GDKF-401




GDKF-402

<b>TOPRAKLI PRİZ</b> <i>Socket with earthing</i> مع مقبس التوصيل الأرضي		
Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDKF-402	101504020PLSO	0.032



GDKF-402



GDKF-403

<b>ANAHTAR</b> <i>Switch</i> لمفتاح		
Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDKF-403	101504030PLSO	0,035



GDKF-403



GDKF-603

<b>DATA PRİZİ</b> <i>Data Socket</i> بيانات المقبس		
Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDKF-603	101506030PKLO	0,011



GDKF-603



GDKF-604

<b>TELEFON PRİZİ</b> <i>Telephone Socket</i> مقبس الهاتف		
Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GDKF-604	101506040BKLO	0,011




GDKF-604



GOR-10

<b>DEMİR MONTAJ PLAKASI</b> <i>Steel mounting plate</i> لوحة تعليق ستيل		
Sipariş kodu Order code رمز الطلب	Stok kodu Stock code رمز المخزن	Ağırlık (Kg/ad.) Weight (Kg/unit) الوزن (كجم/وحدة)
GOR-10	101700022AL1	0,027



GOR-10

Tüm Alüminyum kanallar 45 mm formatındaki Tel, Data, Şebeke veya UPS tipi tırnaklı prizlere kaide veya çerçeve gerekmeden uyumludur. Eloksal veya RAL serisi boya kaplanabilmektedir. Vidalamak gerekmemektedir.

All Aluminium trunkings do fit to tel, data, elc and UPS sockets which are in 45 mm format  
Coating available for Eloksal or RAL series painting. No screws needed.

**KEMA**

## TEST REPORT

Applicant : GERSAN ELEKTRİK TIC. VE SAN. A.Ş  
Tuzla Mermerciler Organize Sanayi Bölgesi Aydınli Mah.  
TEM Yanyol Cad. No: 6 Tuzla  
İSTANBUL, Türkiye

Application date : 2015-12-14

Order number : 2089974.13-QUA/CPC

Subject : IP43 test on distribution box

Trade name : GERSAN  
Type : GDK-3

Arnhem, February 6, 2006

Manufacturer/Factory-location:  
GERSAN ELEKTRİK TIC. VE SAN. A.Ş, Tuzla Mermerciler Organize Sanayi Bölgesi  
Aydınli Mah., TEM Yanyol Cad. No: 6 Tuzla, İSTANBUL

Test requirements : EN 60529:1991 + Amendment 1:2000

Conclusion : as far as investigated, the distribution box complies with  
the specified requirements (see page 2).


Tested by : Gaye Akturk / P.G.J. Wouters

Checked by : P.G.M. Roelofs

Products may not be provided with one of our approval marks, nor put on the market as approved on the basis of this report.

© Copyright KEMA Quality B.V. Publication in total or in part and/or reproduction in whatever way of the contents of this report is not allowed unless permission has been explicitly given either in this report or previous letter.

KEMA Quality B.V. Utrechtseweg 310, 6812 AR Arnhem. P.O. Box 5185, 6802 ED Arnhem, The Netherlands Telephone (+31) 26 356 2006. Telefax (+31) 26 352 5800.

**Product information**

Trade name	: GERSAN
Type	: GDK-3
Degree of Protection	: IP43
Description	: distribution box

**Scope of the testing**

The distribution box has been tested according the following clauses of EN 60529:1991, including Amendment 1:2000

- 13.2 : Protection against solid foreign objects (IP4X)
- 14.2.3 : Test for protection against sprayed water (IPX3)

**Description of the protection against solid foreign objects test (IP4X)**

The probe (rigid steel wire 1,0 mm <sup>+0,05</sup> diameter with edges free from burrs) was pushed against any openings of the distribution box with a force of 1,0 N <sup>±10%</sup>.

During the test the full diameter of the probe did not pass through any opening.

**Description of the test for protection against sprayed water (IPX3)**

The test was made by using an oscillating tube, provided with holes over an arc of 60° either side of the centre point. The distribution box was placed at the centre point of the semicircle and the tube oscillated through an angle of 60 ° on either side of the vertical. The time for one complete oscillation was about 4 seconds and the total test duration 5 minutes. After the distribution box had been turned through a horizontal angle of 90 ° the test was continued for a further 5 minutes.

After the test it showed no deposit of water on insulation parts where it could lead to tracking along creepage distances, no water reached live parts and no water entered the distribution box to such an extent that it interfered with correct operation of the product.

**Conclusion**

The distribution box complies with the IP43 test requirements.





**ONAY SERTİFİKASI**

Bu Kalite Yönetim Sistem Sertifikası,

**GERSAN ELEKTRİK TİC. ve SAN. A.Ş.**  
**İstanbul Anadolu Yakası Organize Sanayi Bölgesi**  
**Gazi Bulvarı No: 39 34953 Tuzla – İstanbul / TÜRKİYE**


firmanın Kalite Yönetim Sistemi'nin Lloyd's Register Quality Assurance Limited tarafından onaylandığının belgesidir. Bu sertifika aşağıda belirtilen kalite yönetim standartları için geçerlidir.

**ISO 9001:2008**

Kalite Yönetim Sistemi kapsamı:

**Ürün Yelpazesindeki Ürünlerin Tasarımı ve Geliştirilmesi; Döşeme Altı Buatı, Askı ve Gergi Takımları, G-CHARGE Elektrikli Araç Şarj İstasyonu, G-BUS Otomasyon Sistemi, GER-LED Sokak için Led Aydınlatma Armatürü ve LED-BUS İç Ortam Led Aydınlatma Armatür Sistemleri Üretimi ve Satışı**

Sertifika Onay No: IST6005522/A	İlk onay: 27 Ocak 2004
	Şimdiki sertifika: 07 Şubat 2016
	Geçerlilik süresi: 14 Eylül 2018

  
 Lloyd's Register Quality Assurance Limited adına  
 Lloyd's Register Gözetim Ltd.Şti. tarafından verilmiştir.



001

Lloyd's Register Gözetim Ltd. Şti, Ataturk Cd, Sıkkıbey Plaza, No 82, K 3, D 12, Kozyatağı, İstanbul / TÜRKİYE  
 For and on behalf of LRQA Ltd, 1 Trinity Park, Bickenhill Lane, Birmingham, B37 7ES, United Kingdom  
 Bu markanın LRQA markası ve denetim prosedürleri kapsamına girmektedir.  
 UKAS Akademiye katılmadan bu sertifikasyon Akademiye Sertifikası No 010 verilebilir denetimler için.  
 Marka Beyanları 11

Lloyd's Register Group Limited, its affiliates and subsidiaries, including Lloyd's Register Quality Assurance Limited (LRQA), and their respective officers, employees or agents are, individually and collectively, referred to in this document as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or for any other reason, unless that person has agreed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and that that use any responsibility or liability is exclusively on the terms and conditions set out in that contract.



**CERTIFICATE OF APPROVAL**

This is to certify that the Quality Management System of:

**GERSAN ELEKTRİK TİC. ve SAN. A.Ş.**  
**İstanbul Anadolu Yakası Organize Sanayi Bölgesi**  
**Gazi Bulvarı No: 39 34953 Tuzla – İstanbul / TURKEY**

has been approved by Lloyd's Register Quality Assurance to the following Quality Management System Standards:

**ISO 9001:2008**

The Quality Management System is applicable to:

**Design and Development of Products in The Range; Manufacture and Sales of Under Floor Junction Boxes, Tension and Suspension Materials, G-CHARGE Electric Vehicle Charging Station, G-BUS Automation System, GER-LED Street Led Luminaries and LED-BUS Interior Led Luminaries Systems**

Approval Certificate No: IST6005522/A	Original Approval: 27 January 2004
	Current Certificate: 07 February 2016
	Certificate Expiry: 14 September 2018

  
 Issued by: Lloyd's Register Gözetim Ltd.Şti.  
 For and on behalf Of Lloyd's Register Quality Assurance Limited



001

Lloyd's Register Gözetim Ltd. Şti, Ataturk Cd, Sıkkıbey Plaza, No 82, K 3, D 12, Kozyatağı, İstanbul / TÜRKİYE  
 For and on behalf of LRQA Ltd, 1 Trinity Park, Bickenhill Lane, Birmingham, B37 7ES, United Kingdom  
 This approval is carried out in accordance with the UKAS assessment and certification procedures, and monitored by UKAS.  
 The use of the UKAS Accreditation Mark indicates Accreditation in respect of those activities covered by the Accreditation Certificate Number 001  
 Marka Beyanları 11

Lloyd's Register Group Limited, its affiliates and subsidiaries, including Lloyd's Register Quality Assurance Limited (LRQA), and their respective officers, employees or agents are, individually and collectively, referred to in this document as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or for any other reason, unless that person has agreed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and that that use any responsibility or liability is exclusively on the terms and conditions set out in that contract.



**ONAY SERTİFİKASI**

Bu Kalite Yönetim Sistem Sertifikası,

**GERSAN ELEKTRİK TİC. ve SAN. A.Ş.**  
**Çaycuma Org. San. 1. Nolu OSB Meydanı 1. Cadde**  
**6. ve 7. Sokak Çaycuma – Zonguldak / TÜRKİYE**

firmanın Kalite Yönetim Sistemi'nin Lloyd's Register Quality Assurance Limited tarafından onaylandığının belgesidir. Bu sertifika aşağıda belirtilen kalite yönetim standartları için geçerlidir.

**ISO 9001:2008**

Kalite Yönetim Sistemi kapsamı:

**Kablo Kanalı, Merdiveni ve Aksesuarları, Döşeme Altı Kablo Kanalı, Buatı ve Aksesuarları, Topraklama Malzemeleri ve Paratoner Bağlantı Elemanları, Platform Izgaraları, Askı ve Gergi Takımları, Busbar Kanalı İmalatı, Sıcak Daldırma Galvanizleme İşlemi, Elektrik Dağıtım Panoları, G-BUS Otomasyon Sistemi, GER-LED Sokak için Led Aydınlatma Armatürü ve LED-BUS İç Ortam Led Aydınlatma Armatür Sistemleri Üretimi**

Sertifika Onay No: IST6005522/A1	İlk onay: 27 Ocak 2004
	Şimdiki sertifika: 07 Şubat 2016
	Geçerlilik süresi: 14 Eylül 2018

  
 Lloyd's Register Quality Assurance Limited adına  
 Lloyd's Register Gözetim Ltd.Şti. tarafından verilmiştir.



001

Lloyd's Register Gözetim Ltd. Şti, Ataturk Cd, Sıkkıbey Plaza, No 82, K 3, D 12, Kozyatağı, İstanbul / TÜRKİYE  
 For and on behalf of LRQA Ltd, 1 Trinity Park, Bickenhill Lane, Birmingham, B37 7ES, United Kingdom  
 Bu markanın LRQA markası ve denetim prosedürleri kapsamına girmektedir.  
 UKAS Akademiye katılmadan bu sertifikasyon Akademiye Sertifikası No 010 verilebilir denetimler için.  
 Marka Beyanları 11

Lloyd's Register Group Limited, its affiliates and subsidiaries, including Lloyd's Register Quality Assurance Limited (LRQA), and their respective officers, employees or agents are, individually and collectively, referred to in this document as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or for any other reason, unless that person has agreed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and that that use any responsibility or liability is exclusively on the terms and conditions set out in that contract.



**CERTIFICATE OF APPROVAL**

This is to certify that the Quality Management System of:

**GERSAN ELEKTRİK TİC. ve SAN. A.Ş.**  
**Çaycuma Org. San. 1. Nolu OSB Meydanı 1. Cadde**  
**6. ve 7. Sokak Çaycuma – Zonguldak / TURKEY**

has been approved by Lloyd's Register Quality Assurance to the following Quality Management System Standards:

**ISO 9001:2008**

The Quality Management System is applicable to:

**Manufacture of Cable Trays, Ladders and Accessories, Under Floor Cable Tray, Junction Boxes and Accessories, Mounting Materials, Earthing Materials and Lighting Rod, Tension and Suspension Materials, Busbar Duct, Hot Dip Galvanization Implementation, Manufacture of Electrical Panel Boards, G-BUS Automation System, GER-LED Street Led Luminaries and LED-BUS Interior Led Luminaries Systems**

Approval Certificate No: IST6005522/A1	Original Approval: 27 January 2004
	Current Certificate: 07 February 2016
	Certificate Expiry: 14 September 2018

  
 Issued by: Lloyd's Register Gözetim Ltd.Şti.  
 For and on behalf Of Lloyd's Register Quality Assurance Limited



001

Lloyd's Register Gözetim Ltd. Şti, Ataturk Cd, Sıkkıbey Plaza, No 82, K 3, D 12, Kozyatağı, İstanbul / TÜRKİYE  
 For and on behalf of LRQA Ltd, 1 Trinity Park, Bickenhill Lane, Birmingham, B37 7ES, United Kingdom  
 This approval is carried out in accordance with the UKAS assessment and certification procedures, and monitored by UKAS.  
 The use of the UKAS Accreditation Mark indicates Accreditation in respect of those activities covered by the Accreditation Certificate Number 001  
 Marka Beyanları 11

Lloyd's Register Group Limited, its affiliates and subsidiaries, including Lloyd's Register Quality Assurance Limited (LRQA), and their respective officers, employees or agents are, individually and collectively, referred to in this document as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or for any other reason, unless that person has agreed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and that that use any responsibility or liability is exclusively on the terms and conditions set out in that contract.





**LR** Lloyd's Register  
LRQA

**ONAY SERTİFİKASI**

Bu İş Sağlığı ve Güvenliği Yönetim Sistemi Sertifikası :

**GERSAN ELEKTRİK TİC. ve SAN. A.Ş.**  
**İstanbul Anadolu Yakası Organize Sanayi Bölgesi**  
**Gazi Bulvarı No: 39 34953 Tuzla – İstanbul / TÜRKİYE**

firmasının İş Sağlığı ve Güvenliği Yönetim Sistemi'nin Lloyd's Register Quality Assurance Limited tarafından onaylandığının belgesidir. Bu sertifikaya aşağıda belirtilen standartlar için geçerlidir

**OHSAS 18001:2007**

İş Sağlığı ve Güvenliği Yönetim Sistemi'nin kapsamı:

**Ürün Yelpazesindeki Ürünlerin Tasarımı ve Geliştirilmesi;  
Döşeme Altı Buatı, Askı ve Gergi Takımları, G-CHARGE Elektrikli Araç Şarj İstasyonu, G-BUS Otomasyon Sistemi, GER-LED Sokak için Led Aydınlatma Armatürü ve LED-BUS İç Ortam Led Aydınlatma Armatür Sistemleri Üretimi ve Satışı**

Sertifika İlk onay: 24 Nisan 2012  
Onay No: IST6005522/C Şimdiki sertifika: 07 Şubat 2016  
Geçerlilik süresi: 06 Şubat 2019

Lloyd's Register Quality Assurance Limited adına  
Lloyd's Register Gözetim Ltd.Şti. tarafından verilmektedir.

**UKAS**  
001

Lloyd's Register Gözetim Ltd. Şti, Ataturk Cd, Sıkkıbey Plaza, No 82, K.3, D.12, Kozyatağı, İstanbul / TÜRKİYE  
For and on behalf of LRQA Ltd, 1 Trinity Park, Bickenhill Lane, Birmingham, B37 7ES, United Kingdom  
UKAS Akreditasyon Markası Kullanılarak Akreditasyon Süreli Bir Hizmetin Akreditasyonu Belirtilen No ile Üretimin İzlenimine Gözetim  
Marka No: 19

Lloyd's Register Group Limited, its affiliates and subsidiaries, including Lloyd's Register Quality Assurance Limited (LRQA), and their respective officers, employees or agents are, individually and collectively, referred to in this document as "Lloyd's Register". Lloyd's Register accepts no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or for any other reason, unless that person has agreed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and that such responsibility or liability is excluded by the terms and conditions set out in that contract.

**LR** Lloyd's Register  
LRQA

**CERTIFICATE OF APPROVAL**

This is to certify that the Occupational Health & Safety Management System of:

**GERSAN ELEKTRİK TİC. ve SAN. A.Ş.**  
**İstanbul Anadolu Yakası Organize Sanayi Bölgesi**  
**Gazi Bulvarı No: 39 34953 Tuzla – İstanbul / TURKEY**

has been approved by Lloyd's Register Quality Assurance to the following specification:

**OHSAS 18001:2007**

The Occupational Health & Safety Management System is applicable to:

**Design and Development of Products in The Range; Manufacture and Sales of Under Floor Junction Boxes, Tension and Suspension Materials, G-CHARGE Electric Vehicle Charging Station, G-BUS Automation System, GER-LED Street Led Luminaries and LED-BUS Interior Led Luminaries Systems**

Approval Certificate No: IST6005522/C Original Approval: 24 April 2012  
Current Certificate: 07 February 2016  
Certificate Expiry: 06 February 2019

Issued by: Lloyd's Register Gözetim Ltd Şti.  
For and on behalf Of Lloyd's Register Quality Assurance Limited

**UKAS**  
001

Lloyd's Register Gözetim Ltd. Şti, Ataturk Cd, Sıkkıbey Plaza, No 82, K.3, D.12, Kozyatağı, İstanbul / TÜRKİYE  
For and on behalf of LRQA Ltd, 1 Trinity Park, Bickenhill Lane, Birmingham, B37 7ES, United Kingdom  
This approval is carried out in accordance with the UKQA assessment and certification procedures, and monitored by UKQA.  
The use of the UKQA Accreditation Mark indicates Accreditation in respect of those activities covered by the Accreditation Certificate Number 001  
Marka No: 19

Lloyd's Register Group Limited, its affiliates and subsidiaries, including Lloyd's Register Quality Assurance Limited (LRQA), and their respective officers, employees or agents are, individually and collectively, referred to in this document as "Lloyd's Register". Lloyd's Register accepts no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or for any other reason, unless that person has agreed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and that such responsibility or liability is excluded by the terms and conditions set out in that contract.

**LR** Lloyd's Register  
LRQA

**ONAY SERTİFİKASI**

Bu İş Sağlığı ve Güvenliği Yönetim Sistemi Sertifikası :

**GERSAN ELEKTRİK TİC. ve SAN. A.Ş.**  
**Çaycuma Org. San. 1. Nolu OSB Meydanı 1. Cadde**  
**6. ve 7. Sokak Çaycuma – Zonguldak / TÜRKİYE**

firmasının İş Sağlığı ve Güvenliği Yönetim Sistemi'nin Lloyd's Register Quality Assurance Limited tarafından onaylandığının belgesidir. Bu sertifikaya aşağıda belirtilen standartlar için geçerlidir

**OHSAS 18001:2007**

İş Sağlığı ve Güvenliği Yönetim Sistemi'nin kapsamı:

**Kablo Kanalı, Merdiveni ve Aksesuarları, Döşeme Altı Kablo Kanalı, Buatı ve Aksesuarları, Topraklama Malzemeleri ve Paratoner Bağlantı Elemanları, Platform İzgaraları, Askı ve Gergi Takımları, Busbar Kanalı İmalatı, Sıcak Daldırma Galvanizleme İşlemi, Elektrik Dağıtım Panoları, G-BUS Otomasyon Sistemi, GER-LED Sokak için Led Aydınlatma Armatürü ve LED-BUS İç Ortam Led Aydınlatma Armatür Sistemleri Üretimi**

Sertifika İlk onay: 24 Nisan 2012  
Onay No: IST6005522/C1 Şimdiki sertifika: 07 Şubat 2016  
Geçerlilik süresi: 06 Şubat 2019

Lloyd's Register Quality Assurance Limited adına  
Lloyd's Register Gözetim Ltd.Şti. tarafından verilmektedir.

**UKAS**  
001

Lloyd's Register Gözetim Ltd. Şti, Ataturk Cd, Sıkkıbey Plaza, No 82, K.3, D.12, Kozyatağı, İstanbul / TÜRKİYE  
For and on behalf of LRQA Ltd, 1 Trinity Park, Bickenhill Lane, Birmingham, B37 7ES, United Kingdom  
UKAS Akreditasyon Markası Kullanılarak Akreditasyon Süreli Bir Hizmetin Akreditasyonu Belirtilen No ile Üretimin İzlenimine Gözetim  
Marka No: 19

Lloyd's Register Group Limited, its affiliates and subsidiaries, including Lloyd's Register Quality Assurance Limited (LRQA), and their respective officers, employees or agents are, individually and collectively, referred to in this document as "Lloyd's Register". Lloyd's Register accepts no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or for any other reason, unless that person has agreed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and that such responsibility or liability is excluded by the terms and conditions set out in that contract.

**LR** Lloyd's Register  
LRQA

**CERTIFICATE OF APPROVAL**

This is to certify that the Occupational Health & Safety Management System of:

**GERSAN ELEKTRİK TİC. ve SAN. A.Ş.**  
**Çaycuma Org. San. 1. Nolu OSB Meydanı 1. Cadde**  
**6. ve 7. Sokak Çaycuma – Zonguldak / TURKEY**

has been approved by Lloyd's Register Quality Assurance to the following specification:

**OHSAS 18001:2007**

The Occupational Health & Safety Management System is applicable to:

**Manufacture of Cable Trays, Ladders and Accessories, Under Floor Cable Tray, Junction Boxes and Accessories, Mounting Materials, Earthing Materials and Lighting Rod, Tension and Suspension Materials, Busbar Duct, Hot Dip Galvanization Implementation, Manufacture of Electrical Panel Boards, G-BUS Automation System, GER-LED Street Led Luminaries and LED-BUS Interior Led Luminaries Systems**

Approval Certificate No: IST6005522/C1 Original Approval: 24 April 2012  
Current Certificate: 07 February 2016  
Certificate Expiry: 06 February 2019

Issued by: Lloyd's Register Gözetim Ltd Şti.  
For and on behalf Of Lloyd's Register Quality Assurance Limited

**UKAS**  
001

Lloyd's Register Gözetim Ltd. Şti, Ataturk Cd, Sıkkıbey Plaza, No 82, K.3, D.12, Kozyatağı, İstanbul / TÜRKİYE  
For and on behalf of LRQA Ltd, 1 Trinity Park, Bickenhill Lane, Birmingham, B37 7ES, United Kingdom  
This approval is carried out in accordance with the UKQA assessment and certification procedures, and monitored by UKQA.  
The use of the UKQA Accreditation Mark indicates Accreditation in respect of those activities covered by the Accreditation Certificate Number 001  
Marka No: 19

Lloyd's Register Group Limited, its affiliates and subsidiaries, including Lloyd's Register Quality Assurance Limited (LRQA), and their respective officers, employees or agents are, individually and collectively, referred to in this document as "Lloyd's Register". Lloyd's Register accepts no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or for any other reason, unless that person has agreed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and that such responsibility or liability is excluded by the terms and conditions set out in that contract.

Elektrik sektörünün öncü kuruluşlarından olan GERSAN A.Ş., enerji santrallerinden evdeki prize kadar uzanan hat üzerindeki iletkenleri taşıyan, birleştiren, koruyan sistemleri ve malzemeleri üretmektedir.

Bu sektördeki üretimlerine 1980 yılında Gersan Ticaret olarak başlamıştır. 1985 yılından itibaren GERSAN A.Ş. olarak devam ederek 36 yıllık bir deneyime sahip olmuştur.

Ana faaliyet alanlarımız;

Binalar,  
Sanayi Tesisleri,  
Fabrikalar,  
Havaalanları,  
Petrol-Gaz Rafinerileri,  
Alışveriş Merkezleri,  
Oteller

gibi üretim-tüketim sistemlerinin ihtiyacı olan

Busbar İletim ve Dağıtım Sistemleri,  
Kablo Taşıyıcı Sistemleri,  
Taşıma-Askı Elemanları,  
Topraklama ve Yıldırımdan Korunma Sistemleri,  
Ana-Ara Dağıtım Panoları ve Rack Kabinleri,  
Elektrikli Araç Şarj Sistemleri,  
Otomasyon Sistemleri,  
Döşeme Altı Kanal taşıyıcıları ve Buatları,  
Çeşitli Kablo Birleştirme ve Ayırma Elemanları,  
Kablo ve Boru Etiketleme Sistemleri,  
Özel taşıyıcı, Çelik Konstrüksiyon Birleştirme ve Sabitleştirme Sistemleri,  
Platform Izgaraları Sistemleridir.

GERSAN A.Ş. üretime başladığı günden bu yana işinde uzman teknik ve akademik personeliyle ürünlerin üretimlerinden kullanımına kadar olan aşamasında her türlü teknik hizmet ve çözümleri müşterisine sunmaktadır. Bu anlamda GERSAN A.Ş. tam anlamıyla bir "AR-GE" dolayısıyla "Teknoloji" firması olup müşterilerine geleceğin ürünlerini sunar.

Firmamız bünyesinde bulunan modern test laboratuvarında, IEC/TS EN 61439/1 ve 2 standartlarında adı geçen; Sıcaklık artışının, Elektriksel karakteristiklerinin, Yapısal dayanımın, Ezilmeye karşı dayanımın, Olağandışı ısılarla karşı izolasyon dayanımının, Alev yayılımına karşı dayanıklılığın doğrulanması, Yangın bariyeri ve EMC testleri hassas cihazlar ile yapılmaktadır.

Uluslararası belgelere dayandırdığımız üretimlerimiz, GOST, IEC, BS, TSE, EN, ISO 9001, ISO 14001, ISO 18001, CE sertifikalarımız ile Vietnam'dan Şili'ye, Arjantin'den Sri Lanka'ya, Cezayir'den Rusya'ya, Fas'tan Türki Cumhuriyetlere, Arnavutluk'tan Dubai'ye ve Katar'a, çeşitli ülkelerde gerçekleşen projelerde ülkemizin gurur kaynağı olmaktadır.

Kalite politikamız, müşterilerimizin isteklerini karşılayacak kaliteli ürün ve hizmetleri en ekonomik şekilde sunmak, zamanında teslim etmek, hizmetin ve kalitenin sürekliliğini sağlamaktır. Hedefimiz kaliteli ve iyi malzemeyi sürekli olarak üretmektir. Temel hedefimiz, konumuzda bir dünya markası olmaktır.

Ürünlerimiz patentlidir. Gersan A.Ş., %66'i halka açık olan, BIST 100'e kote olmuş bir şirkettir.

## Company Profile

GERSAN A.Ş., a leading company in electrical industry manufactures that carry, combine and protect systems and materials conductive over the line from power plants to the sockets at houses.

Manufacture in this industry started in 1980 under the name Gersan Ticaret. From 1985 onwards, it went on business under the name GERSAN A.Ş. and had an experience spanning 36 years.

Our main fields of operations are: manufacture of Busbar transmission and Distribution systems, Cable support systems, Grounding and Lightning prevention systems, spark gap arresters, main and intermediate distribution plates, elevated type cable supports and bays, ventilation systems, support elements, various cable combinations, disconnect, connect and support elements, cable and pipe tagging systems, special conveyors that must be applied at any kind of projects, steel construction combination and fixation systems required for Building, Industrial plants, Car factories, Airports, Oil-Gas refineries, Malls, platform grills and fixation to concrete systems.

Since the very first day of starting production, GERSAN A.Ş., provides any kind of technical services and solutions to its customers at stages from production of items to their use with qualified technical and academic personnel. In this sense, GERSAN A.Ş. is a complete "R&D" and "Technology" company and provides its customers with the future's products.

Verification of temperature increase, electrical characteristics, structural strength, strength against crush, isolation strength against extraordinary temperatures, flame propagation strength, fire barrier, voltage decrease in system and EMC tests mentioned in IEC EN 61439/1 and 2 standards are executed by means of precision devices. Our items which hold international certificates such as GOST, IEC, BS, TSE, EN, ISO 9001, ISO 14001, ISO 18001 CE are source of pride at projects realized at various countries such as Viet Nam, Chili, Argentina, Sri Lanka, Algeria, Russia Morocco, Turkic countries, Albania, Dubai and Qatar. Our quality policy is to offer quality items and services that would meet requirements of our customers for competitive prices, to make timely deliveries and to ensure and quality. Our target is constantly producing high quality items. Our basic target is to be a world brand at our field of operation.

Our products are under patent. Gersan A.Ş. is company quoted to BIST 100 (Istanbul Stock

a 66% publicly held Exchange)



DÜNYADA TEDARİKÇİSİ OLDUĞUMUZ FİRMALAR *The Companies Which We Supply Materials in Worldwide*

الشركات التي نورد لها حول العالم

**ALSTOM**

Alstom Power Systems  
4,avenue Andre Malraux  
92309 Levallois Perret Cedex - FRANCE  
Tel:+33(0) 141492000 Fax:+33(0) 141492485

**SIEMENS**

Siemens Pakistan Engineering Co. LTD.  
B-72 ESTATE AVENUE S.I.T.E  
P.O BOX 7158 KARACHI-75700 PAKISTAN

**vibitech**  
busbar systems

**Vibitech GmbH**  
Rostocker Chaussee 46  
18437 Stralsund

**Petrofac** 

Petrofac International LTD.  
Petrofac House, Al-Soor street  
P.O. Box:23467 SHARJAH/U.A.E.

 **MITSUBISHI  
ELECTRIC**

**Mitsubishi Electric Corporation**  
P O Box 1554, Dubai, UAE.  
Tel: + (971) 4 282 7763  
Fax: + (971) 4 282 7716

 **gama  
engineering**

**1.Gama Engineering Dubai & Northern Emirates**  
PO Box 8886, E3-12, SAIF Zone, Sharjah, UAE  
T :+971 6 5981 999  
D :+971 6 5981 945

**ABB**

**ABB INDUSTRIES LLC .**  
P.O.BOX 11070.....DUBAI, U.A.E.  
TEL: +971 4 3401777  
FAX: +971 4 3401530

**SIDEM**

**SIDEM (STÉ INTERNATIONALE DE DESSALEMENT**  
20-22 rue de Clichy  
75009 PARIS - FRANCE  
Phone :+33 149 957 676  
Fax :+33 149 957 695



DÜNYADA TEDARİKÇİSİ OLDUĞUMUZ FİRMALAR *The Companies Which We Supply Materials in Worldwide*

الشركات التي نورد لها حول العالم

**3M**

**3M Colombia S.A**  
Avenida El Dorado N° 75-93  
Tel: 57 1 4161666  
www.3m.com.co



P.O Box 30569 Abu Dhabi - U.A.E  
Tel:02-6765654,02-6746764 Fax:02-6745654  
Mobile:050-6668750

**THALES**

**Thales International Middle East (Branches)**  
P.O. Box: 125118 - DUBAI (UAE)  
Tel:+ 971 (0) 4 299 44 12  
Fax: +971 (0) 4 299 41 01



42-A Suite-15 Dostyk Ave 050010  
Almaty City - REPUBLIC OF KAZAKHISTAN  
TEL : 007-7272-304663 FAX : 007-7272-304235



Denge Energy LTD.  
Atambaeva Str. No:10B Atyrau City.  
REPUBLIC OF KAZAKHISTAN  
Tel: 007 7122 45 72 97 Fax: 007 7122 49 13 47



**Thales International Middle East (Branches)**

P.O. Box : 5682, Manama  
Address : 101, Salmaniya Pearl,  
Road 5616, Bldg. 109 Wali Bldg.  
280, Blk. 356,Salmaniya  
Kingdom of Bahrain




**Eurostrut / E-strut B.V.**

P.O. Box 10025 3004 AA Rotterdam  
Ringersstraat 9 3125 BP Schiedam / The Netherlands  
Tel: +31 (0)10 522 33 51  
Fax: +31 (0)10 521 49 51




Moshaw Balfuria  
Tel:+972-4-659 22-44 Fax:+972-4-659-23 04  
Email:sales@sche-netzer.com



## DÜNYADA TEDARIKÇISI OLDUĞUMUZ FİRMALAR *The Companies Which We Supply Materials in Worldwide*

الشركات التي نورد لها حول العالم



**ZAO GERSAN-R**

238440, Russia, Kaliningradskaya obl., Bagrationovskii r-n., pos. Razdolnoe, Papenburgskaya ul. 2.  
Tel : +7 4015 666 358 - +7 4012 341 242  
www.gersan-r.ru gersan-r@gersan.com.tr



RTI S.p.A.  
via Ambrosoli, 2/A 20090  
Rodano Millepini (MI) - Italy  
Tel: +39 02 95328610  
Fax: +39 02 95328611



Raymond Vella & Co. Ltd.  
Head Office - Stores - Showroom  
65, Villa Vellas, San Gorg Preca Street,  
Hamrun, HMR1600. Malta  
Tel (+356) 2122 3527 Fax (+356) 2123 3378  
http://www.rvcltd.com.mt - Email: ray@rvcltd.com.mt

**ANORD**  
ENERGY UNDER CONTROL

Anord Control Systems Ltd.  
Coes Road Industrial Estate, Dundalk, Co. Louth, IRELAND  
DDI +353 42 9320581  
Tel +353 42 9320500  
Fax +353 42 9338907



الشركة الفنية لتنفيذ الأعمال الكهروميكانيكية المحدودة  
Electromechanical & Technical Associates Co. Ltd.

**Address: Electromechanical & Technical Associates Co. Ltd**  
Suite # 1101, 1102, 1104, 11th Floor,  
Al-Murjan Tower, Hail Street,  
PB # 6591 Jeddah 21452, Kingdom of  
Saudi Arabia  
Phone: +966 12 6529000  
Fax: +966 12 6529090



Powerbreeze Engineering LTD. House No - 9/5,  
Lane No-1, Block-B Section - 6,  
MIRPUR, DHAKA-1216 BANGLADESH  
Tel: +88-02-8035388 Fax: +88-02-9014847  
http://www.powerbreezxbd.com/




ETS Caporal Et Moretti SAL  
125 Corniche Du Fleuve, Saphir Immobiliare Sal Bldg.  
BEIRUT-LEBANON  
TEL:+961-1-444555 FAX:+961-1-446688

**ENSYTEC**

**ENSYTEC**

Ukraine, Kiev, st. Boryspilska 7, office 116  
tel/fax: +38(044)5006859  
info@ensytec.com.ua



## DÜNYADA TEDARİKÇİSİ OLDUĞUMUZ FİRMALAR *The Companies Which We Supply Materials in Worldwide*

الشركات التي نورد لها حول العالم



**Nexans**  
4-10 rue Mozart, Le Christophe 2  
92587 Clichy cedex  
France



**Croon**  
Schiemond 20-22  
3002 AB Rotterdam Nederland  
[www.croon.nl](http://www.croon.nl)



**Mana Control Co.**  
[www.manacontrol.com](http://www.manacontrol.com)



**Polarvista**  
FLAT/ROOM 1208,KAI TAK COMMERCIAL  
BUILDING,317-319 DES VOEUX ROAD CENTRAL,  
HONG KONG



WSA - 06, Block-18  
F. B. Area (Industrial)  
Karachi, Pakistan.  
Phone: 0092-21-36341930, 36367002  
Fax : 0092-21-36829633  
Email : [info@hussain-co.com](mailto:info@hussain-co.com)  
URL : [www.hussain-co.com](http://www.hussain-co.com)



**Onninen Sp. z o.o.**  
ul. Emaliowa 28 02-295 Warszawa  
Tel. +48 22 567 90 00 Fax +48 22 567 90 09  
[info@onninen.pl](mailto:info@onninen.pl)



238324 Калининградская обл., Гурьевский р-н,  
Пос. Невское, ул. Совхозная,3  
Tel: . (4012) 777-045



## DÜNYADA TEDARİKÇİSİ OLDUĞUMUZ FİRMALAR *The Companies Which We Supply Materials in Worldwide*

الشركات التي نورد لها حول العالم



Россия, Калининград, Ул. Эпроновская, 4-6.  
tel: . +7 (4012) 63-15-07

# LOKYS

92266 ,Lithuania, Klaipeda, str. Pusyno skg. 1

Тел : +370 673 14 876

Тел : +370 671 52 500

Тел : +370 700 14 865

E-mail: gersan-lt@gersan.com.tr



**Rainbow Machinery Solutions Pvt Ltd**  
S-3, Naveen Apartments, #10, 13th Main,  
Palace Road, Vasanthnagar, Bangalore - 560052  
+91 80 41611980



**PETROHOUSE INTERNATIONAL LLC**

Postal Code: 111 | PO Box: 3689

| Bausher | Opposite Dolphin Village 1 Muscat

| Sultanate of Oman Off: 00 - 968 - 22009701

| E mail: sales@petrohouseinternational.com

Web : www.petrohouseinternational.com



**PETROHOUSE INTERNATIONAL DMCC**

PO Box 233908 | Dubai | United Arab Emirates

Tel : + 971 44532870, + 971 65633102

Email: uaesales@petrohouseinternational.com





Bergama-İZMİR/TURKEY





### HEAD OFFICE / FACTORY

TUZLA - İSTANBUL

Anadolu Yakası Organize Sanayi Bölgesi Gazi Bulvarı No:39 P.K: 57 34953 TUZLA - İSTANBUL - TURKEY  
Tel: +90 216 593 00 50 (10 lines) Fax: +90 216 593 00 60 <http://www.gersan.com.tr> e-mail: [info@gersan.com.tr](mailto:info@gersan.com.tr)



### FACTORY

ÇAYCUMA - ZONGULDAK

Çaycuma Org. San. Bölg. 1. Nolu OSB Meydanı 1. Cad. 6. ve 7. Sokak Çaycuma - ZONGULDAK Tel: 0372 638 55 88 / 99



### FACTORY

KALININGRAD - RUSSIA

238440, Russia, Kaliningradskaya obl., Bagrationovskii r-n., pos. Razdolnoe, Papenburgskaya ul. 2.  
Tel :+7 4015 666 358 - +7 4012 341 242 <http://www.gersan-r.ru> e-mail: [gersan-r@gersan.com.tr](mailto:gersan-r@gersan.com.tr)



#### GERSAN ANKARA OFFICE

Mertebe sok. 26/2 Beştepe/Ankara – TURKEY Tel: +90 312 222 62 94 Fax: +90 312 222 62 95

#### GERSAN İZMİR OFFICE

Karahasan Atılı İşmrk. 1203/9 Sokak no:3/B YENİŞEHİR-İZMİR 0232 449 88 08 GSM: 0530 976 99 77

#### GERSAN MIDDLE EAST OFFICE

Box No: 9677 P6-93, SAIF ZONE SHARJAH, U. A. E. Tel: +971 6 5574060 Fax: +971 6 5574020

#### GERSAN ATYRAU OFFICE

Atambaeva Str. No:10B Atyrau City - REPUBLIC OF KAZAKHISTAN Tel: 007 71 22 97 10 27 Fax: 007 71 22 45 72 97

#### GERSAN QATAR

QATAR SHOWROOM: Tel: +974 451 34 82 Fax:+974 451 33 18

<http://www.gersan.com.tr> e-mail: [info@gersan.com.tr](mailto:info@gersan.com.tr)